EAST NILOUFER LIMITED







COMPANY PROFILE

SAUDI ARABIA / JEDDAH

Tel: +966549610379

Email: info@qwin-ksa.com

www.qwin-ksa.com

Introduction

- East Niloufer limited: is one of the leading designers, manufacturers, and suppliers of Upvc windows.
- We specialized in manufacturing and supplying architectural and decorative materials (windows , doors , skylight)
- QWIN, Enjoys an excellent reputation for quality, flexibility, on time delivery and reliability with its continuous drive to ensure complete customers satisfaction in all areas
- We aim to provide our customers with high quality products at the right time and the most competitive prices in order to satisfy their architectural requirements and expectations.

We are specialized in providing and offering the following products and service:

- Windows Upvc (slides type)
- Windows Upvc (tilt & turn type
- Sky light
- Door



Double & triple



Slide & Turn Type



Upvc Laminate many color options




Tilt Type





COMPANY MANGEMENT STRUCTURE



- The most important features that distinguish UPVC from others:
- Excellent thermal insulation.
- Shock resistance.
- Acoustic insulation and noise isolation.
- Proven acid protection.
- Complete isolation from electricity.
- Protection from rain and dust.
- Rust resistance.
- Less air leakage.
- Superior ability to save energy used in air conditioning devices.
- Increasing the efficiency of cooling and heating due to the thermal insulation ability
- Lowest coefficient of expansion and contraction.
- Attractive appearance.
- High precision.
- Welded corners bear high pressure force UPVC profiles used in windows and doors give you the best a window that can be seen by your eyes and allows you to live or work in a quiet place

Current & ongoing projects

Project name	Client	Scope
building	Binan company	Supply and install windows
Villa	Samandar company	Supply and install windows
villa	Private	Supply and install windows
office	private	Sky light
villa	alghamdi	Supply and install windows
office	Jeddah cable	Supply and install windows
office	routs	Supply and install windows
building	Talaea	Supply and install windows
building	Tahkik al amal	Supply and install windows
office	Ali reda compny	Supply and install windows
building	Binaa moutamayez	Supply and install windows
	building Villa villa office villa office office building building office	building Binan company Villa Samandar company villa Private office private villa alghamdi office Jeddah cable office routs building Talaea building Tahkik al amal office Ali reda compny

Document

الرمم المودد : رقم المنشأة : التاريخ : ۱۶۴۰/۰۸/۲۲ هـ	شهادة تسجيل الشركة Company Registration Certificate	وزارة التجارة Ministry of Commerce
		سم التجاري للشركة : شركة نيلوفر الشرق المحدودة
	جنسيتها: سعودي	عها : ذات مسئولية محدودة
وتنتهي في : ۱٤٥٥/٠٨/۲۳ هـ		ة الشركة : ١٠ سنة
.0-04-7	.0	کزها الرئیسی : ۳۲۹۰ أبو بکر الشاسی، ۷۰۶۰ کزها الرئیسی :
	۲۳۴۱۴ مز البريدي :	
عن ب . ملكية الشركة : مختلطة	ري	سنة . شاط: للاطلاع على بيانات الأنشطة الرجاء مسح الرمز النجا
سيه اسري		ساک ۱۰۰,۰۰۰ ریال سعودی س المال :
	محمود اونال	س الفان . مديرون : 1 على بن سالم بن جمعان الغامدي
	4	مديرون . ا
		3
	-	5
	8	7
	10	9
	12	11
	14	
		لطات المدير/المديرون : حسب ما نص عليه عقد الشركة
	بأنه تم تسجيل الشركة المذكورة أعلاه بمدينة :	ىهد مكتب السجل التجاري بمدينة : جدة
وتاریخ : ۱۴۴۰/۰۸۲۲ هـ	بموجب الإيصال رقم : ۲٤٠٣٠١٩٣٦٩٣٣	نتهى صلاحية الشهادات في : ١٤٤٧/٠٨/٢٢ هـ














QWIN 71 GRANDE


Technical Specification	
Profile width	71mm
Number of chambers	5
Number of gasket	EPDM rubber gray / black
Glazing beads	Single nail, PCE gasket
Glass thickness	Single glass 5mm, double glass 20/24mm, triple glass 30mm
Lamination	With options one side & double side
Heat conductivity	1.3 w/m² k

Outer Pane	Ciarana Calas Cantral Laur F. Class Ass		
	Sisecam Solar Control Low E-Glass 4mm neutral (Surface # 2)		
Cavity 1	9mm Cavity (Argon)		
Middle Pane	Sisecam Clear Float Glass 4mm clear		
Cavity 2	9mm Cavity (Air)		
Inner Pane	Sisecam Clear Float Glass 4mm clear		
Daylight Properties (EN410)	Daylight Transmittance	66%	
	Daylight Reflectance Outdoor	14%	
	Daylight Reflectance indoor	17%	
	Solar Energy Direct Transmittance	36%	
	Solar Energy Reflectance Outdoor	31%	
	Solar energy absorption	33%	
Solar Energy Properties (EN410)	Solar Heat gain Coefficient	40%	
	(Solar Fact/g)	~	
	Shading Coefficient	0.46%	
	UV Transmission	9.0%	
Thermal Conductivity (EN673)	U Value W /(m²K)	1.2	
Sound Insulation Value (EN12758)	Rw (C; Ctr) dB	35(-1; -6)	

QWIN

Certificate












Before After





















Factory plants

